## IN THE CLAIMS:

Please amend claims 1-26, and add new claims 27-30, so that a complete set of the pending claims will read as follows:

1. (Currently Amended) A flash discharge lamp, comprising:

a glass tube with a light-transmitting wall, said tube having first and second ends and having an outer surface;

a pair of electrodes i.e. an anode and a cathode, oppositely electrode disposed in at both ends of the glass the first end of the tube;

a cathode electrode disposed at the second end of the tube;

 $\frac{a}{a}$  an electro-conductive member is provided on the outer surface of the glass tube;

a triggering electrode mounted on said the cathode electrode and electrically connected to said the electro-conductive member; and

xenon gas sealed in said glass tube,

characterized in that said flash discharge lamp further includes at least one High Temperature Resistant a high temperature resistant electrode mounted on said the cathode and at least one Getter electrode mounted on said cathode and/or said anode electrode;

a getter electrode mounted on one of cathode and anode electrodes, the getter electrode being spaced apart from the high temperature electrode; and an inert gas sealed in the tube.

- 2. (Currently Amended) The flash discharge lamp according to claim 1, wherein it further includes said High Temperature Resistant further comprising another high temperature resistant electrode affixed on said to the anode electrode.
- 3. (Currently Amended) The flash discharge lamp according to claim 1, wherein the said High Temperature Resistant electrode(s) is/are high temperature resistant

<u>electrode</u> is positioned on the corresponding side of said between the anode <u>electrode</u> and the triggering electrode.

- 4. (Currently Amended) The flash discharge lamp according to claim 1, wherein said Getter electrode(s) is/are positioned on the corresponding side of the said eathode the triggering electrode is positioned between the electrode and the anode electrode.
- 5. (Currently Amended) The flash discharge lamp according to claim 1, wherein said High Temperature Resistant electrode(s) is/are the high temperature resistant electrode is made of Tantalum or Tantalum tantalum or tantalum alloy.
- 6. (Currently Amended) The flash discharge lamp according to claim 5, wherein said the tantalum alloy is tantalum-niobium-titanium, tantalum-vanadium-titanium, tantalum-vanadium-titanium or tantalum-zirconium alloy.
- 7. (Currently Amended) The flash discharge lamp according to claim 1, wherein said High Temperature Resistant electrode(s) is/are the high temperature resistant electrode is made of niobium or niobium alloy.
- 8. (Currently Amended) The flash discharge lamp according to claim 7, wherein said the niobium alloy is niobium-tantalum-titanium, niobium-tantalum-zirconium, niobium-vanadium-titanium, niobium-vanadium-titanium, niobium-zirconium, niobium-tanium or niobium-zirconium alloy.
- 9. (Currently Amended) The flash discharge lamp according to claim 1, wherein said High Temperature Resistant electrode(s) is/are the high temperature resistant electrode is made of variadium or variadium alloy.

10. (Currently Amended) The flash discharge lamp according to claim 9, wherein said the vanadium alloy is vanadium-niobium-titanium, vanadium-niobium-zirconium, vanadium-titanium, vanadium-titanium, vanadium-titanium, vanadium-titanium or vanadium-zirconium alloy.

other to

- 11. (Currently Amended) The flash discharge lamp according to claim 1, wherein said Getter electrode(s) is/are the getter electrode is made of titanium or titanium alloy.
- 12. (Currently Amended) The flash discharge lamp according to claim 11, wherein said the titanium alloy is titanium-aluminum-cerium, barium, calcium, or cesium alloy.
- 13. (Currently Amended) The flash discharge lamp according to claim 1, wherein said Getter electrode(s) is/are the getter electrode is made of zirconium or zirconium alloy.
- 14. (Currently Amended) The flash discharge lamp according to claim 13, wherein said the zirconium alloy is zirconium-titanium-aluminum-cerium, barium, calcium, or cesium alloy.
- 15. (Currently Amended) The flash discharge lamp according to claim 2, wherein the said High Temperature Resistant electrode(s) is/are positioned on the eorresponding side of said high temperature resistant electrode is between the anode electrode and the triggering electrode.
- 16. (Currently Amended) The flash discharge lamp according to claim 2, wherein said Getter electrode(s) is/are positioned on the corresponding side of the said eathode the triggering electrode is positioned between the getter electrode and the anode electrode.

17. (Currently Amended) The flash discharge lamp according to claim 2, wherein said High Temperature Resistant electrode(s) is/are the high temperature resistant electrode is made of Tantalum or Tantalum tantalum or tantalum alloy.

- 18. (Currently Amended) The flash discharge lamp according to claim 17, wherein said the tantalum alloy is tantalum-niobium-titanium, tantalum-niobium-zirconium, tantalum-vanadium-titanium, tantalum-vanadium-zirconium, tantalum-titanium or tantalum-zirconium alloy.
- 19. (Currently Amended) The flash discharge lamp according to claim 2, wherein said High Temperature Resistant electrode(s) is/are the high temperature resistant electrode is made of niobium or niobium alloy.
- 20. (Currently Amended) The flash discharge lamp according to claim 19, wherein said the niobium alloy is niobium-tantalum-titanium, niobium-tantalum-zirconium, niobium-vanadium-titanium, niobium-vanadium-zirconium, niobium-titanium or niobium-zirconium alloy.
- 21. (Currently Amended) The flash discharge lamp according to claim 2, wherein said High Temperature Resistant electrode(s) is/are the high temperature resistant electrode is made of variadium or variadium alloy.
- 22. (Currently Amended) The flash discharge lamp according to claim 21, wherein said the vanadium alloy is vanadium-niobium-titanium, vanadium-niobium-zirconium, vanadium-tantalum-titanium, vanadium-tantalum-zirconium, vanadium-titanium or vanadium-zirconium alloy.
- 23. (Currently Amended) The flash discharge lamp according to claim 2, wherein said Getter electrode(s) is/are the getter electrode is made of titanium or titanium alloy.

24. (Currently Amended) The flash discharge lamp according to claim 23, wherein said the titanium alloy is titanium-aluminum-cerium, barium, calcium, or cesium alloy.

- 25. (Currently Amended) The flash discharge lamp according to claim 2, wherein said Getter electrode(s) is/are the getter electrode is made of zirconium or zirconium alloy.
- 26. (Currently Amended) The flash discharge lamp according to claim 25, wherein said the zirconium alloy is zirconium-titanium-aluminum-cerium, barium, calcium, or cesium alloy.
- 27. (New) The flash discharge lamp according to claim 1, wherein the tube is a glass tube.
- 28. (New) The flash discharge lamp according to claim 1, wherein the getter electrode is mounted on the cathode electrode.
- 29. (New) The flash discharge lamp according to claim 28, further comprising another getter electrode that is mounted on the anode electrode.
- 30. (New) The flash discharge lamp according to claim 1, wherein the inert gas is xenon.

، بر شد